

## Western Michigan University ScholarWorks at WMU

Cumulative Michigan COVID-19 Data

Michigan COVID-19 State Data

4-26-2020

### 2020-04-26\_MichiganOverview\_COVIDstats

Michigan Department of Health & Human Services

Follow this and additional works at: https://scholarworks.wmich.edu/michigan-covid-data-statecumulative



Part of the Public Health Commons

### WMU ScholarWorks Citation

Michigan Department of Health & Human Services, "2020-04-26\_MichiganOverview\_COVIDstats" (2020). Cumulative Michigan COVID-19 Data. 37.

https://scholarworks.wmich.edu/michigan-covid-data-state-cumulative/37

This Website is brought to you for free and open access by the Michigan COVID-19 State Data at ScholarWorks at WMU. It has been accepted for inclusion in Cumulative Michigan COVID-19 Data by an authorized administrator of ScholarWorks at WMU. For more information, please contact wmu-scholarworks@wmich.edu.



Michigan.gov

FAQ ALTERNATE LANGUAGES HOME MDHHS Q SEARCH

## **Coronavirus**

RESOURCES → PRESS RELEASES VOLUNTEER DONATE VIDEO UPDATES

CORONAVIRUS / MICHIGAN DATA

# Michigan Data

**This information is updated daily at 3 p.m.**, with COVID-19 results included as of 10 a.m.

## Confirmed COVID-19 Cases by Jurisdiction updated 4/26/2020

County	Confirmed Cases	Reported Deaths
Alcona	4	
Allegan	69	1
Alpena	60	2
Antrim	9	
Arenac	16	1
Barry	29	1
Bay	115	2
Benzie	4	
Berrien	215	14
Branch	48	2
Calhoun	202	10
Cass	26	2
Charlevoix	13	1
Cheboygan	17	1
Chippewa	2	
Clare	10	1
Clinton	109	9
Crawford	46	3
Delta	12	2
Detroit City	8613	922
Dickinson	3	2
Eaton	115	5
Emmet	21	2
Genesee	1467	161
Gladwin	11	1
Gogebic	4	1
Grand Traverse	19	5
Gratiot	8	1
Hillsdale	113	14
Houghton	2	
Huron	13	
Ingham	406	9
Ionia	43	2
losco	33	4
Isabella	55	7
Jackson	327	16
Kalamazoo	292	11
Kalkaska	17	2
Kent	1031	32
Lake	2	
Lapeer	165	24
Leelanau	9	
Lenawee	82	
	1	

- **DAILY COUNTS**
- · LAB TESTING
- **DATA ABOUT PLACES**
- **LONG TERM CARE FACILITIES**
- **CORONAVIRUS SYMPTOMS**

# Cumulative Total of Recovered COVID-19 Cases (as of 4/24/2020): **8,342**

Note on recovery: During this response, MDHHS is reviewing vital records statistics to identify any laboratory confirmed COVID-19 cases who are 30 days out from their onset of illness to represent recovery status. As the pandemic continues to impact Michigan, this pool will expand to include more cases. Recovered is defined as the number of persons with a confirmed COVID-19 diagnosis who are alive 30 days post-onset (or referral date if onset is not available). The number of persons recovered on April 24, 2020 represents COVID-19 confirmed individuals with an onset date on or prior to March 25, 2020. If an individual dies from a COVID-related cause >30 days from onset/referral, they are removed from the number of persons recovered. These numbers will be updated every Saturday.

### **Age Data of Overall Deceased**

Average Age	74.3 years
Median Age	76 years
Age Range	5-107 years

### Overall Case Fatality Rate

Statewide Confirmed	00/
Cases	9%

County	Confirmed Cases	Reported Deaths
Livingston	315	14
Luce	1	
Mackinac	5	
Macomb	5203	520
Manistee	11	
Marquette	42	7
Mason	5	
Mecosta	14	1
Menominee	3	
Midland	52	3
Missaukee	15	1
Monroe	273	12
Montcalm	32	1
Montmorency	5	
Muskegon	228	13
Newaygo	15	
Oakland	6928	620
Oceana	5	1
Ogemaw	9	
Osceola	8	
Oscoda	4	
Otsego	87	8
Ottawa	180	9
Presque Isle	10	
Roscommon	13	
Saginaw	558	43
Sanilac	34	4
Schoolcraft	3	
Shiawassee	130	7
St Clair	302	18
St Joseph	28	1
Tuscola	82	13
Van Buren	35	2
Washtenaw	1001	50
Wayne	7135	658
Wexford	8	1
MDOC*	1031	32
FCI**	81	1
Unknown	3	1
Out of State	27	1
	<del>-</del> -	<u> </u>

Cases by Sex

Sex	Percentage of Overall Cases by Sex	Percentage of Deceased Cases by Sex
Male	45%	55%
Female	54%	45%
Unknown	1%	<1%

### Totals may not add to 100% due to rounding

**Cases by Age** 

Age	Percentage of Overall Cases by Age	Percentage of Deceased Cases by Age
0 to 19	2%	<1%
20 to 29	10%	<1%
30 to 39	13%	1%
40 to 49	16%	4%
50 to 59	19%	9%
60 to 69	18%	19%
70 to 79	12%	28%
80+	11%	39%
Unknown	<1%	0%

### Totals may not add to 100% due to rounding

**Cases by Race** 

cases by Race		
Race	Percentage of Overall Cases by	Percentage of Deceased Cases by
	Race	Race
American Indian or Alaska Native	<1%	<1%
Asian/Pacific Islander	2%	1%
Black or African American	32%	41%
Caucasian	32%	44%
Multiple Races	7%	2%
Other	4%	2%
Unknown	22%	10%

Totals may not add to 100% due to rounding

**Note on cumulative counts:** This report is provisional and subject to change. As public health investigations of individual cases continue, there will be corrections to the status and details of referred cases that result in changes to this report. *City of Detroit and Wayne County are reported separately.* 

37778

3315

Totals

**Note on the deaths:** Deaths must be reported by health care providers, medical examiners/coroners, and recorded by local health departments in order to be counted.

**Note on jurisdictional classification:** In order to provide more accurate data, the "Other" jurisdiction category will no longer be used. Michigan Department of Corrections cases will be listed

Cases by Hispanic/Latino Ethnicity

Hispanic/Latino Ethnicity	Percentage of Overall Cases by Ethnicity	Percentage of Deceased Cases by Ethnicity	
Hispanic/Latino	3%	1%	
Non-Hispanic Latino	58%	74%	
Unknown	39%	25%	

### Totals may not add to 100% due to rounding

**Cases by Arab Ethnicity** 

Arab	<b>Percentage of Overall</b>	Percentage of Deceased	
Ethnicity	Cases by Ethnicity	Cases by Ethnicity	
Arab	1%	1%	

<sup>\*</sup>Michigan Department of Corrections

<sup>\*\*</sup>Federal Correctional Institute

under "MDOC". Federal Correctional Institution cases will be listed under "FCI".

Note on Case Fatality Rate: The case fatality rate is the number of people who have died from causes associated with COVID-19 out of the total number of people with confirmed COVID-19 infections. It is used as one measure of illness severity. Several factors can affect this number. Until recently, COVID-19 lab testing has prioritized for hospitalized individuals due to limited testing availability. As a result, COVID-19 infections were identified more often in people who were more severely ill. This would lead to a higher case fatality rate. As more people with mild illness are tested, it is likely the case fatality rate will go down.


Arab Ethnicity	_	Percentage of Deceased Cases by Ethnicity
Non- Arab	27%	25%
Unknown	72%	74%

Totals may not add to 100% due to rounding

**MICHIGAN.GOV HOME** 

MICHIGAN NEWS POLICIES

ADA



**COPYRIGHT 2020 STATE OF MICHIGAN** 

