



Western Michigan University  
ScholarWorks at WMU

---

Cumulative Michigan COVID-19 Data

Michigan COVID-19 State Data

---

4-29-2020

## 2020-04-29\_MichiganOverview\_COVIDstats

Michigan Department of Health & Human Services

Follow this and additional works at: <https://scholarworks.wmich.edu/michigan-covid-data-state-cumulative>



Part of the Public Health Commons

---

### WMU ScholarWorks Citation

Michigan Department of Health & Human Services, "2020-04-29\_MichiganOverview\_COVIDstats" (2020).  
*Cumulative Michigan COVID-19 Data*. 34.

<https://scholarworks.wmich.edu/michigan-covid-data-state-cumulative/34>

This Website is brought to you for free and open access by the Michigan COVID-19 State Data at ScholarWorks at WMU. It has been accepted for inclusion in Cumulative Michigan COVID-19 Data by an authorized administrator of ScholarWorks at WMU. For more information, please contact [wmu-scholarworks@wmich.edu](mailto:wmu-scholarworks@wmich.edu).



# Coronavirus

CORONAVIRUS / MICHIGAN DATA

RESOURCES ▾

PRESS RELEASES

VOLUNTEER

DONATE

VIDEO UPDATES

## Michigan Data

This information is updated daily at 3 p.m., with COVID-19 results included as of 10 a.m.

### Confirmed COVID-19 Cases by Jurisdiction updated 4/29/2020

County	Confirmed Cases	Reported Deaths
Alcona	4	
Allegan	94	2
Alpena	76	4
Antrim	10	
Arenac	18	1
Barry	34	1
Bay	142	4
Benzie	6	
Berrien	242	15
Branch	56	2
Calhoun	219	11
Cass	29	2
Charlevoix	13	1
Cheboygan	17	1
Chippewa	2	
Clare	11	1
Clinton	117	9
Crawford	54	4
Delta	13	2
Detroit City	8957	1008
Dickinson	3	2
Eaton	124	6
Emmet	21	2
Genesee	1564	180
Gladwin	16	1
Gogebic	4	1
Grand Traverse	19	5
Gratiot	13	1
Hillsdale	121	17
Houghton	2	
Huron	16	
Ingham	446	10
Ionia	60	2
Iosco	47	4
Isabella	60	7
Jackson	351	19
Kalamazoo	348	12
Kalkaska	17	2
Kent	1395	33
Lake	2	
Lapeer	167	25
Leelanau	10	
Lenawee	92	1
Livingston	335	18

### • DAILY COUNTS

### • LAB TESTING

### • DATA ABOUT PLACES

### • LONG TERM CARE FACILITIES

### • CORONAVIRUS SYMPTOMS

Cumulative Total of Recovered COVID-19 Cases (as of  
4/24/2020): **8,342**

**Note on recovery:** During this response, MDHHS is reviewing vital records statistics to identify any laboratory confirmed COVID-19 cases who are 30 days out from their onset of illness to represent recovery status. As the pandemic continues to impact Michigan, this pool will expand to include more cases. Recovered is defined as the number of persons with a confirmed COVID-19 diagnosis who are alive 30 days post-onset (or referral date if onset is not available). The number of persons recovered on April 24, 2020 represents COVID-19 confirmed individuals with an onset date on or prior to March 25, 2020. If an individual dies from a COVID-related cause >30 days from onset/referral, they are removed from the number of persons recovered. These numbers will be updated every Saturday.

#### Age Data of Overall Deceased

Average Age	74.7 years
Median Age	76 years
Age Range	5-107 years

#### Overall Case Fatality Rate

Statewide Confirmed Cases	9%
---------------------------	----

County	Confirmed Cases	Reported Deaths
Luce	1	
Mackinac	6	
Macomb	5430	597
Manistee	11	
Marquette	45	8
Mason	8	
Mecosta	14	1
Menominee	5	
Midland	59	5
Missaukee	15	1
Monroe	284	12
Montcalm	38	1
Montmorency	5	
Muskegon	262	16
Newaygo	22	
Oakland	7159	668
Oceana	9	1
Ogemaw	12	
Osceola	8	
Oscoda	4	
Otsego	90	8
Ottawa	224	9
Presque Isle	12	
Roscommon	15	
Saginaw	632	56
Sanilac	34	4
Schoolcraft	3	
Shiawassee	173	8
St Clair	313	21
St Joseph	30	1
Tuscola	98	13
Van Buren	46	2
Washtenaw	1049	59
Wayne	7537	719
Wexford	10	2
MDOC*	1264	41
FCI**	86	1
Out of State	39	
Totals	40399	3670

**\*Michigan Department of Corrections Note on cumulative counts:** This report is provisional and subject to change. As public health investigations of individual cases continue, there will be corrections to the status and details of referred cases that result in changes to this report. *City of Detroit and Wayne County are reported separately.*

**\*\*Federal Correctional Institute**

**Note on the deaths:** Deaths must be reported by health care providers, medical examiners/coroners, and recorded by local health departments in order to be counted.

**Note on jurisdictional classification:** In order to provide more accurate data, the "Other" jurisdiction category will no longer be used. Michigan Department of Corrections cases will be listed under "MDOC". Federal Correctional Institution cases will be listed under "FCI".

#### Cases by Sex

Sex	Percentage of Overall Cases by Sex	Percentage of Deceased Cases by Sex
Male	45%	54%
Female	54%	46%
Unknown	1%	<1%

**Totals may not add to 100% due to rounding**

#### Cases by Age

Age	Percentage of Overall Cases by Age	Percentage of Deceased Cases by Age
0 to 19	2%	<1%
20 to 29	10%	<1%
30 to 39	13%	1%
40 to 49	16%	4%
50 to 59	19%	9%
60 to 69	17%	19%
70 to 79	12%	28%
80+	12%	40%
Unknown	<1%	0%

**Totals may not add to 100% due to rounding**

#### Cases by Race

Race	Percentage of Overall Cases by Race	Percentage of Deceased Cases by Race
American Indian or Alaska Native	<1%	<1%
Asian/Pacific Islander	2%	1%
Black or African American	32%	40%
Caucasian	32%	45%
Multiple Races	7%	2%
Other	4%	2%
Unknown	22%	9%

**Totals may not add to 100% due to rounding**

#### Cases by Hispanic/Latino Ethnicity

Hispanic/Latino Ethnicity	Percentage of Overall Cases by Ethnicity	Percentage of Deceased Cases by Ethnicity
Hispanic/Latino	3%	1%
Non-Hispanic Latino	59%	74%
Unknown	37%	25%

**Totals may not add to 100% due to rounding**


#### Cases by Arab Ethnicity

Arab Ethnicity	Percentage of Overall Cases by Ethnicity	Percentage of Deceased Cases by Ethnicity
Arab	1%	1%

**Note on Case Fatality Rate:** The case fatality rate is the number of people who have died from causes associated with COVID-19 out of the total number of people with confirmed COVID-19 infections. It is used as one measure of illness severity. Several factors can affect this number. Until recently, COVID-19 lab testing has prioritized for hospitalized individuals due to limited testing availability. As a result, COVID-19 infections were identified more often in people who were more severely ill. This would lead to a higher case fatality rate. As more people with mild illness are tested, it is likely the case fatality rate will go down.

Arab Ethnicity	Percentage of Overall Cases by Ethnicity	Percentage of Deceased Cases by Ethnicity
Non-Arab	28%	27%
Unknown	71%	72%

*Totals may not add to 100% due to rounding*



**MICHIGAN.GOV HOME**  
**ADA**  
**MICHIGAN NEWS**  
**POLICIES**

**COPYRIGHT 2020 STATE OF MICHIGAN**



**Have questions?**  
 Chat with Robin